


1000 mg (blank bottle)

 Sample ID: 2003CSALA4383.6277
 Matrix: Concentrates & Extracts
 Type: Tincture
 Sample Size: 1 units
 Batch Size:
 Batch#: C0900

 Strain: 1000 mg
 Produced: N/A
 Collected: 03/08/2020
 Received: 03/08/2020
 Completed: 03/12/2020

 Client
Mile High Pawducts dba Naturally Holistic LLC
 Lic. #
 9615 E County Line Rd Ste B-399
 Centennial, Colorado 80112

	45.75 mg/package Total THC	1106.03 mg/package Total CBD	1271.48 mg/package Total Cannabinoids
---	--	--	---

Cannabinoids

Testing method: HPLC-SOP 101

Pass

Analyte	LOD	LOQ	Results	Results
	mg/g	mg/g	mg/package	mg/ml
CBD	0.0059	0.018	1106.03	36.87
CBC	0.0009	0.0027	96.39	3.21
Δ9-THC	0.0038	0.0115	45.75	1.52
CBG	0.0047	0.0143	14.67	0.49
CBDV	0.0042	0.0126	8.63	0.29
CBDa	0.0012	0.0037	ND	ND
CBGa	0.0016	0.005	ND	ND
CBN	0.0014	0.0041	ND	ND
THCa	0.002	0.006	ND	ND
THCV	0.0036	0.0111	ND	ND
Δ8-THC	0.0038	0.0115	ND	ND
Total			1271.48	42.38

1 serving = 1 Tincture Bottle, 30.0 milliliters; Density = 0.9591 g/ml; 1.0 servings per package; 45.75 mg/package Total THC; 1106.03 mg/package Total CBD;

Date Tested: 03/10/2020

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653



 Mallory Speakman
 Laboratory Director - LA
 03/12/2020



 Anya Engen
 Quality Review
 03/12/2020



 Amanda Bravo
 COA Review
 03/12/2020

1000 mg (blank bottle)

 Sample ID: 2003CSALA4383.6277
 Matrix: Concentrates & Extracts
 Type: Tincture
 Sample Size: 1 units
 Batch Size:
 Batch#: C0900

 Strain: 1000 mg
 Produced: N/A
 Collected: 03/08/2020
 Received: 03/08/2020
 Completed: 03/12/2020

 Client
Mile High Pawducts dba Naturally Holistic LLC
 Lic. #
 9615 E County Line Rd Ste B-399
 Centennial, Colorado 80112

Microbials

Pass

Testing method: PCR-SOP 400

Analyte	Result	Status
Aspergillus flavus	Not Detected	Pass
Aspergillus fumigatus	Not Detected	Pass
Aspergillus niger	Not Detected	Pass
Aspergillus terreus	Not Detected	Pass
Salmonella	Not Detected	Pass
Shiga toxin-producing E. Coli	Not Detected	Pass

Date Tested: 03/10/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Heavy Metals

Pass

Testing method: ICPMS-SOP 502

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.02	0.06	1.5	ND	Pass
Cadmium	0.03	0.1	0.5	ND	Pass
Lead	0.002	0.005	0.5	0.017	Pass
Mercury	0.02	0.06	3.0	ND	Pass

Date Tested: 03/10/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 PJLA
 Testing
 Accredited (P203)

 Mallory Speakman
 Laboratory Director - LA
 03/12/2020

 Anya Engen
 Quality Review
 03/12/2020

 Amanda Bravo
 COA Review
 03/12/2020

1000 mg (blank bottle)

 Sample ID: 2003CSALA4383.6277
 Matrix: Concentrates & Extracts
 Type: Tincture
 Sample Size: 1 units
 Batch Size:
 Batch#: C0900

 Strain: 1000 mg
 Produced: N/A
 Collected: 03/08/2020
 Received: 03/08/2020
 Completed: 03/12/2020

 Client
Mile High Pawducts dba Naturally Holistic LLC
 Lic. #
 9615 E County Line Rd Ste B-399
 Centennial, Colorado 80112

Residual Solvents

Pass

Testing method: HSGCMS-SOP 202

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.1	0.4	1	ND	Pass
Acetone	64.0	214.0	5000	ND	Pass
Acetonitrile	36.0	119.0	410	ND	Pass
Benzene	0.1	0.2	1	ND	Pass
Butane	42.0	141.0	5000	ND	Pass
Chloroform	0.1	0.4	1	ND	Pass
Ethanol	59.0	197.0	5000	ND	Pass
Ethyl-Acetate	43.0	144.0	5000	ND	Pass
Ethylene Oxide	0.2	0.6	1	ND	Pass
Ethyl-Ether	40.0	134.0	5000	ND	Pass
Heptane	46.0	154.0	5000	ND	Pass
Isopropanol	41.0	138.0	5000	ND	Pass
Methanol	160.0	534.0	3000	ND	Pass
Methylene-Chloride	0.1	0.4	1	ND	Pass
n-Hexane	42.0	139.0	290	ND	Pass
Pentane	69.0	229.0	5000	ND	Pass
Propane	21.0	70.0	5000	ND	Pass
Toluene	47.0	156.0	890	ND	Pass
Trichloroethene	0.1	0.4	1	ND	Pass
Xylenes	86.0	287.0	2170	ND	Pass

Date Tested: 03/09/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 PJLA
 Testing
 Accredited (P202)

 Mallory Speakman
 Laboratory Director - LA
 03/12/2020

 Anya Engen
 Quality Review
 03/12/2020

 Amanda Bravo
 COA Review
 03/12/2020