

125 MG (yellow)

Sample ID: 2008CSALA9507.9650

Matrix: Concentrates & Extracts

Type: Tincture

Sample Size: 1 units

Batch Size:

Batch#: C0107

Produced: N/A

Collected: 08/04/2020

Received: 08/04/2020

Completed: 08/10/2020


Client

Mile High Pawducts dba Naturally Holistic LLC

Lic. #

9615 E County Line Rd Ste B-399

Centennial, Colorado 80112

	<p style="text-align: center;">6.41 mg/package</p> <p style="text-align: center;">Total THC</p>	<p style="text-align: center;">176.22 mg/package</p> <p style="text-align: center;">Total CBD</p>	<p style="text-align: center;">193.40 mg/package</p> <p style="text-align: center;">Total Cannabinoids</p>
---	---	---	--

Cannabinoids

Pass

Testing method: HPLC-SOP 101

Analyte	LOD	LOQ	Results	Results
	mg/g	mg/g	mg/package	mg/ml
CBD	0.0059	0.018	176.22	5.87
CBC	0.0009	0.0027	6.41	0.21
Δ9-THC	0.0038	0.0115	6.41	0.21
CBG	0.0047	0.0143	2.91	0.10
CBDV	0.0042	0.0126	1.46	0.05
CBDa	0.0012	0.0037	ND	ND
CBGa	0.0016	0.005	ND	ND
CBN	0.0014	0.0041	ND	ND
THCa	0.002	0.006	ND	ND
THCV	0.0036	0.0111	ND	ND
Δ8-THC	0.0038	0.0115	ND	ND
Total			193.40	6.45

1 serving = 1 Dropper, 0.25 milliliters; Density = 0.9709 g/ml; 120.0 servings per package; 6.41 mg/package Total THC; 176.22 mg/package Total CBD;

Date Tested: 08/06/2020

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED
 LABORATORY
 Accreditation No. 73653



 Mallory Speakman
 Laboratory Director - LA
 08/10/2020



 Amanda Bravo
 Quality Review
 08/10/2020



 Musa Aman
 COA Review
 08/10/2020

125 MG (yellow)

Sample ID: 2008CSALA9507.9650

Matrix: Concentrates & Extracts

Type: Tincture

Sample Size: 1 units

Batch Size:

Batch#: C0107

Produced: N/A

Collected: 08/04/2020

Received: 08/04/2020

Completed: 08/10/2020

Client

Mile High Pawducts dba Naturally Holistic LLC

Lic. #

9615 E County Line Rd Ste B-399

Centennial, Colorado 80112

Microbials

Testing method: PCR-SOP 401

Pass

Analyte	Result	Status
Salmonella	Not Detected	Pass
Shiga toxin-producing E. Coli	Not Detected	Pass

Date Tested: 08/06/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Heavy Metals

Testing method: ICPMS-SOP 502

Pass

Analyte	LOD	LOQ	Limit	Results	Status
Arsenic	0.02	0.06	1.5	ND	Pass
Cadmium	0.03	0.1	0.5	ND	Pass
Lead	0.002	0.005	0.5	0.018	Pass
Mercury	0.02	0.06	3	ND	Pass

Date Tested: 08/05/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED
 LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 08/10/2020

 Amanda Bravo
 Quality Review
 08/10/2020

 Musa Aman
 COA Review
 08/10/2020

125 MG (yellow)

Sample ID: 2008CSALA9507.9650

Matrix: Concentrates & Extracts

Type: Tincture

Sample Size: 1 units

Batch Size:

Batch#: C0107

Produced: N/A

Collected: 08/04/2020

Received: 08/04/2020

Completed: 08/10/2020

Client

Mile High Pawducts dba Naturally Holistic LLC

Lic. #

9615 E County Line Rd Ste B-399

Centennial, Colorado 80112

Residual Solvents

Testing method: HSGCMS-SOP 202

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.1	0.4	1	ND	Pass
Acetone	64.0	214.0	5000	ND	Pass
Acetonitrile	36.0	119.0	410	ND	Pass
Benzene	0.1	0.2	1	ND	Pass
Butane	42.0	141.0	5000	ND	Pass
Chloroform	0.1	0.4	1	ND	Pass
Ethanol	59.0	197.0	5000	ND	Pass
Ethyl-Acetate	43.0	144.0	5000	ND	Pass
Ethylene Oxide	0.2	0.6	1	ND	Pass
Ethyl-Ether	40.0	134.0	5000	ND	Pass
Heptane	46.0	154.0	5000	ND	Pass
Isopropanol	41.0	138.0	5000	ND	Pass
Methanol	160.0	534.0	3000	ND	Pass
Methylene-Chloride	0.1	0.4	1	ND	Pass
n-Hexane	42.0	139.0	290	ND	Pass
Pentane	69.0	229.0	5000	ND	Pass
Propane	21.0	70.0	5000	ND	Pass
Toluene	47.0	156.0	890	ND	Pass
Trichloroethene	0.1	0.4	1	ND	Pass
Xylenes	86.0	287.0	2170	ND	Pass

Date Tested: 08/06/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED
 LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 08/10/2020

 Amanda Bravo
 Quality Review
 08/10/2020

 Musa Aman
 COA Review
 08/10/2020