

500 mg (Red)

Sample ID: 2006CSALA8025.5986

Strain: 500 mg (Red)

Matrix: Concentrates & Extracts

Type: Tincture

Sample Size: 1 units

Batch Size:
Batch#: C0506

Produced: N/A

Collected: 06/23/2020


Received: 06/23/2020

Completed: 07/01/2020

Client
Mile High Pawducts dba Naturally Holistic LLC
Lic. #

9615 E County Line Rd Ste B-399

Centennial, Colorado 80112

	<h1>ND</h1> <p>Total THC</p>	<h1>657.42</h1> <p>mg/package</p> <p>Total CBD</p>	<h1>702.33</h1> <p>mg/package</p> <p>Total Cannabinoids</p>
---	------------------------------	--	---

Cannabinoids

Pass

Testing method: HPLC-SOP 101

Analyte	LOD	LOQ	Results	Results
	mg/g	mg/g	mg/package	mg/ml
CBD	0.0059	0.018	657.42	21.91
CBC	0.0009	0.0027	29.26	0.98
CBG	0.0047	0.0143	10.43	0.35
CBDV	0.0042	0.0126	5.22	0.17
CBDa	0.0012	0.0037	ND	ND
CBGa	0.0016	0.005	ND	ND
CBN	0.0014	0.0041	ND	ND
THCa	0.002	0.006	ND	ND
THCV	0.0036	0.0111	ND	ND
Δ 8-THC	0.0038	0.0115	ND	ND
Δ 9-THC	0.0038	0.0115	ND	ND
Total			702.33	23.41

1 serving = 0.25 mL, 0.25 milliliters; Density = 0.9658 g/ml; 120.0 servings per package; 0.0 mg/package Total THC; 657.42 mg/package Total CBD;

Date Tested: 07/01/2020

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED
 LABORATORY
 Accreditation No. 73653



 Mallory Speakman
 Laboratory Director - LA
 07/01/2020



 Anya Engen
 Quality Review
 07/01/2020



 Musa Aman
 COA Review
 07/01/2020

500 mg (Red)

Sample ID: 2006CSALA8025.5986
 Matrix: Concentrates & Extracts
 Type: Tincture
 Sample Size: 1 units
 Batch Size:
 Batch#: C0506

Strain: 500 mg (Red)
 Produced: N/A
 Collected: 06/23/2020
 Received: 06/23/2020
 Completed: 07/01/2020

Client
Mile High Pawducts dba Naturally Holistic LLC
 Lic. #
 9615 E County Line Rd Ste B-399
 Centennial, Colorado 80112

Microbials

Testing method: PCR-SOP 401

Pass

Analyte	Result	Status
Aspergillus flavus	Not Detected	Pass
Aspergillus fumigatus	Not Detected	Pass
Aspergillus niger	Not Detected	Pass
Aspergillus terreus	Not Detected	Pass
Salmonella	Not Detected	Pass
Shiga toxin-producing E. Coli	Not Detected	Pass

Date Tested: 06/26/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Heavy Metals

Testing method: ICPMS-SOP 502

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.02	0.06	1.5	ND	Pass
Cadmium	0.03	0.1	0.5	ND	Pass
Lead	0.002	0.005	0.5	ND	Pass
Mercury	0.02	0.06	3	ND	Pass

Date Tested: 06/25/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



ISO / IEC 17025:2017 ACCREDITED
 LABORATORY
 Accreditation No. 73653

Mallory Speakman
 Laboratory Director - LA
 07/01/2020

Anya Engen
 Quality Review
 07/01/2020

Musa Aman
 COA Review
 07/01/2020

500 mg (Red)

Sample ID: 2006CSALA8025.5986

Strain: 500 mg (Red)

Matrix: Concentrates & Extracts

Type: Tincture

Sample Size: 1 units

Batch Size:

Batch#: C0506

Produced: N/A

Collected: 06/23/2020

Received: 06/23/2020

Completed: 07/01/2020

Client

Mile High Pawducts dba Naturally Holistic LLC

Lic. #

9615 E County Line Rd Ste B-399

Centennial, Colorado 80112

Residual Solvents

Testing method: HSGCMS-SOP 202

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.1	0.4	1	ND	Pass
Acetone	64.0	214.0	5000	ND	Pass
Acetonitrile	36.0	119.0	410	ND	Pass
Benzene	0.1	0.2	1	ND	Pass
Butane	42.0	141.0	5000	ND	Pass
Chloroform	0.1	0.4	1	ND	Pass
Ethanol	59.0	197.0	5000	ND	Pass
Ethyl-Acetate	43.0	144.0	5000	ND	Pass
Ethylene Oxide	0.2	0.6	1	ND	Pass
Ethyl-Ether	40.0	134.0	5000	ND	Pass
Heptane	46.0	154.0	5000	ND	Pass
Isopropanol	41.0	138.0	5000	ND	Pass
Methanol	160.0	534.0	3000	ND	Pass
Methylene-Chloride	0.1	0.4	1	ND	Pass
n-Hexane	42.0	139.0	290	ND	Pass
Pentane	69.0	229.0	5000	ND	Pass
Propane	21.0	70.0	5000	ND	Pass
Toluene	47.0	156.0	890	ND	Pass
Trichloroethene	0.1	0.4	1	ND	Pass
Xylenes	86.0	287.0	2170	ND	Pass

Date Tested: 06/25/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED
 LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 07/01/2020

 Anya Engen
 Quality Review
 07/01/2020

 Musa Aman
 COA Review
 07/01/2020