

## 100mg (Light Blue)

Sample ID: 2009CSALA0951.2827

Matrix: Concentrates &amp; Extracts

Type: Tincture

Sample Size: 1 units

Batch Size:

Batch#: CO902

Produced: N/A

Collected: 09/14/2020

Received: 09/14/2020

Completed: 09/18/2020


Client

**Mile High Pawducts dba Naturally Holistic LLC**

Lic. #

9615 E County Line Rd Ste B-399

Centennial, Colorado 80112

	<p style="text-align: center;"><b>41.43</b> <b>mg/package</b></p> <p style="text-align: center;">Total THC</p>	<p style="text-align: center;"><b>1207.80</b> <b>mg/package</b></p> <p style="text-align: center;">Total CBD</p>	<p style="text-align: center;"><b>1327.16</b> <b>mg/package</b></p> <p style="text-align: center;">Total Cannabinoids</p>
---	--	--	---

### Cannabinoids

Testing method: HPLC-SOP 101

Analyte	LOD	LOQ	Results	Results	
	mg/g	mg/g	mg/package	mg/ml	
CBD	0.0059	0.018	1207.80	40.26	<div style="border: 2px solid green; width: 20px; height: 20px; margin: auto;"></div>
CBC	0.0009	0.0027	45.19	1.51	
Δ9-THC	0.0038	0.0115	41.43	1.38	
CBG	0.0047	0.0143	21.44	0.71	
CBDV	0.0042	0.0126	11.30	0.38	
CBDa	0.0012	0.0037	ND	ND	
CBGa	0.0016	0.005	ND	ND	
CBN	0.0014	0.0041	ND	ND	
THCa	0.002	0.006	ND	ND	
THCV	0.0036	0.0111	ND	ND	
Δ8-THC	0.0038	0.0115	ND	ND	
<b>Total</b>			<b>1327.16</b>	<b>44.24</b>	

Pass

1 serving = 1 Dropper, 0.25 milliliters; Density = 0.9657 g/ml; 120.0 servings per package; 41.43 mg/package Total THC; 1207.8 mg/package Total CBD;

Date Tested: 09/16/2020

Total THC = THCa \* 0.877 + Δ9-THC

Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

### Notes

"Data provided is for informational purposes only and cannot be used for compliance or labeling. In the 2018 United States Farm Bill, Hemp is defined as having a delta-9 tetrahydrocannabinol concentration of no more than 0.3 percent on a dry weight basis."


 ISO / IEC 17025:2017 ACCREDITED  
 LABORATORY  
 Accreditation No. 73653



 Douglas Duncan  
 Lab Director  
 09/18/2020



 Cecilia Melgar  
 COA Review  
 09/18/2020

## 100mg (Light Blue)

Sample ID: 2009CSALA0951.2827

Matrix: Concentrates &amp; Extracts

Type: Tincture

Sample Size: 1 units

Batch Size:

Batch#: CO902

Produced: N/A

Collected: 09/14/2020

Received: 09/14/2020

Completed: 09/18/2020

Client

Mile High Pawducts dba Naturally Holistic LLC

Lic. #

9615 E County Line Rd Ste B-399

Centennial, Colorado 80112

## Microbials

Testing method: PCR-SOP 401

Pass

Analyte	Result	Status
Salmonella	Not Detected	Pass
Shiga toxin-producing E. Coli	Not Detected	Pass

Date Tested: 09/17/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

## Heavy Metals

Testing method: ICPMS-SOP 502

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.02	0.06	1.5	ND	Pass
Cadmium	0.03	0.1	0.5	ND	Pass
Lead	0.002	0.005	0.5	0.1	Pass
Mercury	0.02	0.06	3	ND	Pass

Date Tested: 09/15/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED  
 LABORATORY  
 Accreditation No. 73653



 Douglas Duncan  
 Lab Director  
 09/18/2020



 Cecilia Melgar  
 COA Review  
 09/18/2020

## 100mg (Light Blue)

Sample ID: 2009CSALA0951.2827

Matrix: Concentrates &amp; Extracts

Type: Tincture

Sample Size: 1 units

Batch Size:

Batch#: CO902

Produced: N/A

Collected: 09/14/2020

Received: 09/14/2020

Completed: 09/18/2020

Client

Mile High Pawducts dba Naturally Holistic LLC

Lic. #

9615 E County Line Rd Ste B-399

Centennial, Colorado 80112

## Residual Solvents

Testing method: HSGCMS-SOP 202

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.1	0.4	1	ND	Pass
Acetone	64.0	214.0	5000	ND	Pass
Acetonitrile	36.0	119.0	410	ND	Pass
Benzene	0.1	0.2	1	ND	Pass
Butane	42.0	141.0	5000	ND	Pass
Chloroform	0.1	0.4	1	ND	Pass
Ethanol	59.0	197.0	5000	ND	Pass
Ethyl-Acetate	43.0	144.0	5000	ND	Pass
Ethylene Oxide	0.2	0.6	1	ND	Pass
Ethyl-Ether	40.0	134.0	5000	ND	Pass
Heptane	46.0	154.0	5000	ND	Pass
Isopropanol	41.0	138.0	5000	ND	Pass
Methanol	160.0	534.0	3000	ND	Pass
Methylene-Chloride	0.1	0.4	1	ND	Pass
n-Hexane	42.0	139.0	290	ND	Pass
Pentane	69.0	229.0	5000	ND	Pass
Propane	21.0	70.0	5000	ND	Pass
Toluene	47.0	156.0	890	ND	Pass
Trichloroethene	0.1	0.4	1	ND	Pass
Xylenes	86.0	287.0	2170	ND	Pass

Date Tested: 09/16/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED  
 LABORATORY  
 Accreditation No. 73653



 Douglas Duncan  
 Lab Director  
 09/18/2020



 Cecilia Melgar  
 COA Review  
 09/18/2020