250 MG

Sample ID: 2011CSALA3815.9580

Matrix: Concentrates & Extracts
Type: Tincture

Sample Size: 1 units Batch Size: 30 units Batch#: CO207 Produced: N/A Collected: 11/27/2020 Received: 11/27/2020 Completed: 12/04/2020 Client

Mile High Pawducts dba Naturally Holistic LLC

LIC. #

9615 E County Line Rd Ste B-399 Centennial, Colorado 80112



10.8151 mg/package

Total THC

328.7570 mg/package

Total CBD

360.0164 mg/package

Total Cannabinoids

Pass

Cannabinoids

Testing method: HPLC-SOP 101

resting method: i	APLC-SOP TOT				
Analyte	LOD	LOQ	Results	Results	
	mg/g	mg/g	mg/package	mg/ml	_
CBD	0.0059	0.018	328.7570	10.9586	
CBC	0.0009	0.0027	12.3934	0.4131	
Δ9-ΤΗС	0.0038	0.0115	10.8151	0.3605	
CBG	0.0047	0.0143	5.3859	0.1795	
CBDV	0.0042	0.0126	2.6650	0.0888	
CBDa	0.0012	0.0037	ND	ND	
CBGa	0.0016	0.005	ND	ND	
CBN	0.0014	0.0041	ND	ND	
THCa	0.002	0.006	ND	ND	
THCV	0.0036	0.0111	ND	ND	
Δ8-ΤΗС	0.0038	0.0115	ND	ND	
Total			360.0164	12.0005	

1 serving = 0.25 mL, 0.25 milliliters; Density = 0.9669 g/ml; 120.0 servings per package; 10.8151 mg/package Total THC; 328.757 mg/package Total CBD;

Date Tested: 12/01/2020

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.







ISO / IEC 17025:2017 ACCREDITED LABORATORY Accreditation No. 73653



Douglas Duncan Lab Director 12/04/2020



Musa Aman COA Review 12/04/2020

Produced: N/A

Collected: 11/27/2020

Received: 11/27/2020

Completed: 12/04/2020



250 MG

Sample ID: 2011CSALA3815.9580 Matrix: Concentrates & Extracts

Type: Tincture

Sample Size: 1 units Batch Size: 30 units Batch#: CO207

Mile High Pawducts dba Naturally Holistic LLC

Lic.#

9615 E County Line Rd Ste B-399 Centennial, Colorado 80112

Pesticides Pass

Testing method: LCMS & GCMS-SOP 301 and 302

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	μg/g	μg/g	μg/g	μg/g			μg/g	μg/g	μg/g	μg/g	
Abamectin	0.0002	0.0005	0.3	ND	Pass	Fludioxonil	0.0088	0.0385	30	ND	Pass
Acephate	0.0028	0.0385	5	ND	Pass	Hexythiazox	0.0143	0.0477	2	ND	Pass
Acequinocyl	0.0065	0.0385	4	ND	Pass	lmazalil *	0.0028	0.0385	0.0028	ND	Pass
Acetamiprid	0.0025	0.0385	5	ND	Pass	Imidacloprid	0.0086	0.0385	3	ND	Pass
Aldicarb *	0.0032	0.0385	0.0032	ND	Pass	Kresoxim Methyl	0.0084	0.0385	1	ND	Pass
Azoxystrobin	0.0036	0.0385	40	ND	Pass	Malathion	0.0084	0.0385	5	ND	Pass
Bifenazate	0.013	0.0436	5	ND	Pass	Metalaxyl	0.0083	0.0385	15	ND	Pass
Bifenthrin	0.0167	0.0557	0.5	ND	Pass	Methiocarb *	0.0058	0.0385	0.0058	ND	Pass
Boscalid	0.0068	0.0385	10	ND	Pass	Methomyl	0.0021	0.0385	0.1	ND	Pass
Captan	0.036	0.02	5	ND	Pass	Methyl Parathion *	0.0091	0.05	0.0091	ND	Pass
Carbaryl	0.003	0.0385	0.5	ND	Pass	Mevinphos *	0.0058	0.0385	0.0058	ND	Pass
Carbofuran *	0.0033	0.0385	0.0033	ND	Pass	Myclobutanil	0.009	0.0385	9	ND	Pass
Chlorantraniliprole	0.0166	0.0553	40	ND	Pass	Naled	0.0097	0.0385	0.5	ND	Pass
Chlordane *	0.0055	0.05	0.0055	ND	Pass	Oxamyl	0.0027	0.0385	0.2	ND	Pass
Chlorfenapyr *	0.0048	0.05	0.0048	ND	Pass	Paclobutrazol *	0.0102	0.0385	0.0102	ND	Pass
Chlorpyrifos *	0.004	0.0385	0.004	ND	Pass	Pentachloronitrobenzene	0.0084	0.05	0.2	ND	Pass
Clofentezine	0.0063	0.0385	0.5	ND	Pass	Permethrin	0.007	0.0385	20	ND	Pass
Coumaphos *	0.0047	0.0385	0.0047	ND	Pass	Phosmet	0.006	0.0385	0.2	ND	Pass
Cyfluthrin	0.0608	0.203	1	ND	Pass	Piperonyl Butoxide	0.0035	0.0385	8	ND	Pass
Cypermethrin	0.008	0.0385	1	ND	Pass	Prallethrin	0.0098	0.0385	0.4	ND	Pass
Daminozide *	0.0266	0.0889	0.0266	ND	Pass	Propiconazole	0.0073	0.0385	20	ND	Pass
DDVP *	0.0049	0.0165	0.0049	ND	Pass	Propoxur *	0.0026	0.0385	0.0026	ND	Pass
Diazinon	0.0028	0.0385	0.2	ND	Pass	Pyrethrins	0.0	0.0001	1	ND	Pass
Dimethoate *	0.001	0.0385	0.001	ND	Pass	Pyridaben	0.0027	0.0385	3	ND	Pass
Dimethomorph	0.000	0.0003	20	ND	Pass	Spinetoram	0.0001	0.0003	3	ND	Pass
Ethoprophos *	0.005	0.0385	0.0051	ND	Pass	Spinosad	0.0	0.0001	3	ND	Pass
Etofenprox *	0.002	0.0385	0.0021	ND	Pass	Spiromesifen	0.0025	0.0385	12	ND	Pass
Etoxazole	0.0023	0.0385	1.5	ND	Pass	Spirotetramat	0.0064	0.0385	13	ND	Pass
Fenhexamid	0.0058	0.0385	10	ND	Pass	Spiroxamine *	0.0037	0.0385	0.0037	ND	Pass
Fenoxycarb *	0.005	0.0385	0.005	ND	Pass	Tebuconazole	0.0175	0.0583	2	ND	Pass
Fenpyroximate	0.0053	0.0385	2	ND	Pass	Thiacloprid *	0.0054	0.0385	0.0054	ND	Pass
Fipronil *	0.0166	0.0552	0.0166	ND	Pass	Thiamethoxam	0.0056	0.0385	4.5	ND	Pass
Flonicamid	0.0209	0.0698	2	ND	Pass	Trifloxystrobin	0.0017	0.0385	30	ND	Pass

Date Tested: 12/02/2020







ISO / IEC 17025:2017 ACCREDITED LABORATORY Accreditation No. 73653

Douglas Duncan Lab Director 12/04/2020



Musa Aman **COA Review** 12/04/2020

^{*} Denotes Category I pesticides, which fail when detected; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

(818) 922-2416 https://www.csalabs.com Lic# C8-0000040-LIC

250 MG

Sample ID: 2011CSALA3815.9580

Matrix: Concentrates & Extracts

Type: Tincture Sample Size: 1 units Batch Size: 30 units Batch#: CO207 Produced: N/A Collected: 11/27/2020 Received: 11/27/2020

Completed: 12/04/2020

Client

Mile High Pawducts dba Naturally Holistic LLC

Lic. #

9615 E County Line Rd Ste B-399 Centennial, Colorado 80112

Microbials

Testing method: PCR-SOP 401

AnalyteResultStatusSalmonellaNot DetectedPassShiga toxin-producing E. ColiNot DetectedPass

Date Tested: 12/01/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Heavy Metals Pass

Testing method: ICPMS-SOP 502

Analyte	LOD	LOQ	Limit	Results	Status	
	μg/g	μg/g	μg/g	μg/g		
Arsenic	0.006	0.018	1.5	ND	Pass	
Cadmium	0.003	0.011	0.5	ND	Pass	
Lead	0.003	0.009	0.5	0.015	Pass	
Mercury	0.01	0.033	3	ND	Pass	

Date Tested: 11/30/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.







ISO / IEC 17025:2017 ACCREDITED LABORATORY Accreditation No. 73653 Vys ADm

Douglas Duncan Lab Director 12/04/2020



Musa Aman COA Review 12/04/2020 (818) 922-2416 https://www.csalabs.com Lic# C8-0000040-LIC



Sample ID: 2011CSALA3815.9580

Matrix: Concentrates & Extracts Type: Tincture

Sample Size: 1 units Batch Size: 30 units Batch#: CO207 Produced: N/A Collected: 11/27/2020 Received: 11/27/2020 Completed: 12/04/2020 Client

Mile High Pawducts dba Naturally Holistic LLC

Lic. #

9615 E County Line Rd Ste B-399 Centennial, Colorado 80112

Residual Solvents
Testing method: HSGCMS-SOP 202

Analyte LOD LOQ µg/g µg/g µg/g 1,2-Dichloro-Ethane 0.1 0.4 Acetone 64.0 214.0 Acetonitrile 36.0 119.0 Benzene 0.1 0.2 Butane 42.0 141.0 Chloroform 0.1 0.4 Ethanol 59.0 197.0 Ethyl-Acetate 43.0 144.0 Ethylene Oxide 0.2 0.6 Ethyl-Ether 40.0 134.0	Limit Res μg/g μg/s 1 ND	sults Status
1,2-Dichloro-Ethane 0.1 0.4 Acetone 64.0 214.0 Acetonitrile 36.0 119.0 Benzene 0.1 0.2 Butane 42.0 141.0 Chloroform 0.1 0.4 Ethanol 59.0 197.0 Ethyl-Acetate 43.0 144.0 Ethylene Oxide 0.2 0.6 Ethyl-Ether 40.0 134.0		- Jog
Acetone 64.0 214.0 Acetonitrile 36.0 119.0 Benzene 0.1 0.2 Butane 42.0 141.0 Chloroform 0.1 0.4 Ethanol 59.0 197.0 Ethyl-Acetate 43.0 144.0 Ethylene Oxide 0.2 0.6 Ethyl-Ether 40.0 134.0	1 ND	
Acetonitrile 36.0 119.0 Benzene 0.1 0.2 Butane 42.0 141.0 Chloroform 0.1 0.4 Ethanol 59.0 197.0 Ethyl-Acetate 43.0 144.0 Ethylene Oxide 0.2 0.6 Ethyl-Ether 40.0 134.0		Pass
Benzene 0.1 0.2 Butane 42.0 141.0 Chloroform 0.1 0.4 Ethanol 59.0 197.0 Ethyl-Acetate 43.0 144.0 Ethylene Oxide 0.2 0.6 Ethyl-Ether 40.0 134.0	5000 ND	Pass
Butane 42.0 141.0 Chloroform 0.1 0.4 Ethanol 59.0 197.0 Ethyl-Acetate 43.0 144.0 Ethylene Oxide 0.2 0.6 Ethyl-Ether 40.0 134.0	410 ND	Pass
Chloroform 0.1 0.4 Ethanol 59.0 197.0 Ethyl-Acetate 43.0 144.0 Ethylene Oxide 0.2 0.6 Ethyl-Ether 40.0 134.0	1 ND	Pass
Ethanol 59.0 197.0 Ethyl-Acetate 43.0 144.0 Ethylene Oxide 0.2 0.6 Ethyl-Ether 40.0 134.0	5000 ND	Pass
Ethyl-Acetate 43.0 144.0 Ethylene Oxide 0.2 0.6 Ethyl-Ether 40.0 134.0	1 ND	Pass
Ethylene Oxide 0.2 0.6 Ethyl-Ether 40.0 134.0	5000 ND	Pass
Ethyl-Ether 40.0 134.0	5000 ND	Pass
,	1 ND	Pass
	5000 ND	Pass
Heptane 46.0 154.0	5000 ND	Pass
Isopropanol 41.0 138.0	5000 ND	Pass
Methanol 160.0 534.0	3000 ND	Pass
Methylene-Chloride 0.1 0.4	1 ND	Pass
n-Hexane 42.0 139.0	290 ND	Pass
Pentane 69.0 229.0	5000 ND	Pass
Propane 21.0 70.0	5000 ND	Pass
Toluene 47.0 156.0	890 ND	Pass
Trichloroethene 0.1 0.4	1 ND	Pass
Xylenes 86.0 287.0	2170 ND	Pass

Date Tested: 12/03/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.







ISO / IEC 17025:2017 ACCREDITED LABORATORY Accreditation No. 73653 Dys ADm

Douglas Duncan Lab Director 12/04/2020



Musa Aman COA Review 12/04/2020