

## 500 MG

**Sample ID:** 2107CSALA6157.5258

**Matrix:** Concentrates & Extracts

**Type:** Tincture

**Sample Size:** 1 units

**Batch Size:**
**Batch#:** CO511

**Produced:** N/A

**Collected:** 07/06/2021


**Received:** 07/06/2021

**Completed:** 07/08/2021

**Client**
**Mile High Pawducts dba Naturally Holistic LLC**
**Lic. #**

9615 E County Line Rd Ste B-399

Centennial, Colorado 80112

	<p style="text-align: center;"><b>16.1172</b> <b>mg/package</b></p> <p style="text-align: center;">Total THC</p>	<p style="text-align: center;"><b>593.6776</b> <b>mg/package</b></p> <p style="text-align: center;">Total CBD</p>	<p style="text-align: center;"><b>650.1609</b> <b>mg/package</b></p> <p style="text-align: center;">Total Cannabinoids</p>
---	--	---	--

### Cannabinoids

Pass

Testing method: HPLC-SOP 101

Analyte	LOD	LOQ	Results	Results
	mg/g	mg/g	mg/package	mg/ml
CBD	0.0163	0.0233	593.6776	19.7893
CBC	0.0198	0.0233	22.6772	0.7559
Δ9-THC	0.0194	0.0233	16.1172	0.5372
CBG	0.0214	0.0233	9.4638	0.3155
CBT	0.0196	0.0909	2.9038	0.0968
CBN	0.0228	0.0233	2.8638	0.0955
CBDV	0.0191	0.0233	2.4575	0.0819
CBCA	0.0207	0.0233	ND	ND
CBDa	0.0124	0.0233	ND	ND
CBDVA	0.0221	0.0233	ND	ND
CBGa	0.0175	0.0233	ND	ND
THCa	0.0173	0.0233	ND	ND
THCV	0.0226	0.0233	ND	ND
THCVA	0.0226	0.0233	ND	ND
Δ8-THC	0.0205	0.0233	ND	ND

1 serving = .25mL, 0.25 milliliters; Density = 0.9522 g/ml; 120.0 servings per package; 16.1172 mg/package Total THC; 593.6776 mg/package Total CBD;

Date Tested: 07/07/2021

Total THC = THCa \* 0.877 + d9-THC

Total CBD = CBDa \* 0.877 + CBD


LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

<p style="text-align: center;"><b>NT</b></p> <p style="text-align: center;">Moisture</p> <p style="text-align: center;">Moisture Analyzer SOP-103</p>	<p style="text-align: center;"><b>NT</b></p> <p style="text-align: center;">Water Activity</p> <p style="text-align: center;">Water Activity Meter SOP-102</p>	<p style="text-align: center;"><b>NT</b></p> <p style="text-align: center;">Foreign Matter</p> <p style="text-align: center;">Visual Inspection SOP-600</p>
---	--	---


 ISO / IEC 17025:2017 ACCREDITED  
 LABORATORY  
 Accreditation No. 73653



 Neya Jourabchian  
 Laboratory Director  
 07/08/2021



 Cecilia Melgar  
 COA Review  
 07/08/2021

# 500 MG

Sample ID: 2107CSALA6157.5258

Matrix: Concentrates & Extracts

Type: Tincture

Sample Size: 1 units

Batch Size:

Batch#: CO511

Produced: N/A

Collected: 07/06/2021

Received: 07/06/2021

Completed: 07/08/2021

Client

Mile High Pawducts dba Naturally Holistic LLC

Lic. #

9615 E County Line Rd Ste B-399

Centennial, Colorado 80112

## Pesticides

Testing method: LCMS & GCMS-SOP 301 and 302

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0172	0.0739	0.3	ND	Pass	Fludioxonil	0.0062	0.0961	30	ND	Pass
Acephate	0.0099	0.0961	5	ND	Pass	Hexythiazox	0.0062	0.0961	2	ND	Pass
Acequinocyl	0.0148	0.0961	4	ND	Pass	Imazalil *	0.0049	0.0961	0.0049	ND	Pass
Acetamiprid	0.0025	0.0961	5	ND	Pass	Imidacloprid	0.0062	0.0961	3	ND	Pass
Aldicarb *	0.0234	0.0961	0.0234	ND	Pass	Kresoxim Methyl	0.0062	0.0961	1	ND	Pass
Azoxystrobin	0.0049	0.0961	40	ND	Pass	Malathion	0.0074	0.0961	5	ND	Pass
Bifenazate	0.0123	0.0961	5	ND	Pass	Metalaxyl	0.0062	0.0961	15	ND	Pass
Bifenthrin	0.016	0.0961	0.5	ND	Pass	Methiocarb *	0.0111	0.0961	0.0111	ND	Pass
Boscalid	0.0074	0.0961	10	ND	Pass	Methomyl	0.0062	0.0961	0.1	ND	Pass
Captan	0.0234	0.3849	5	ND	Pass	Methyl Parathion *	0.0172	0.048	0.0172	ND	Pass
Carbaryl	0.0062	0.0961	0.5	ND	Pass	Mevinphos *	0.0259	0.0961	0.0259	ND	Pass
Carbofuran *	0.0062	0.0961	0.0062	ND	Pass	Myclobutanil	0.0049	0.0961	9	ND	Pass
Chlorantraniliprole	0.0197	0.0961	40	ND	Pass	Naled	0.0086	0.0961	0.5	ND	Pass
Chlordane *	0.0172	0.0961	0.0172	ND	Pass	Oxamyl	0.0037	0.0961	0.2	ND	Pass
Chlorfenapyr *	0.0111	0.048	0.0111	ND	Pass	Paclobutrazol *	0.0062	0.0961	0.0062	ND	Pass
Chlorpyrifos *	0.0049	0.0961	0.0049	ND	Pass	Pentachloronitrobenzene	0.0185	0.048	0.2	ND	Pass
Clofentezine	0.0037	0.0961	0.5	ND	Pass	Permethrin	0.0148	0.0961	20	ND	Pass
Coumaphos *	0.0037	0.0961	0.0037	ND	Pass	Phosmet	0.0037	0.0961	0.2	ND	Pass
Cyfluthrin	0.0209	0.0961	1	ND	Pass	Piperonyl Butoxide	0.0062	0.0961	8	ND	Pass
Cypermethrin	0.0148	0.0961	1	ND	Pass	Prallethrin	0.0049	0.0961	0.4	ND	Pass
Daminozide *	0.0246	0.0961	0.0246	ND	Pass	Propiconazole	0.0062	0.0961	20	ND	Pass
DDVP *	0.0049	0.0961	0.0049	ND	Pass	Propoxur *	0.0025	0.0961	0.0025	ND	Pass
Diazinon	0.0025	0.0961	0.2	ND	Pass	Pyrethrins	0.053	0.0825	1	ND	Pass
Dimethoate *	0.0074	0.0961	0.0074	ND	Pass	Pyridaben	0.0062	0.0961	3	ND	Pass
Dimethomorph	0.016	0.0961	20	ND	Pass	Spinetoram	0.0037	0.0961	3	ND	Pass
Ethoprophos *	0.0062	0.0961	0.0062	ND	Pass	Spinosad	0.0037	0.0973	3	ND	Pass
Etofenprox *	0.0074	0.0961	0.0074	ND	Pass	Spiromesifen	0.0074	0.0961	12	ND	Pass
Etoxazole	0.0062	0.0961	1.5	ND	Pass	Spirotetramat	0.0062	0.0961	13	ND	Pass
Fenhexamid	0.0185	0.0961	10	ND	Pass	Spiroxamine *	0.0049	0.0961	0.0049	ND	Pass
Fenoxycarb *	0.0074	0.0961	0.0074	ND	Pass	Tebuconazole	0.0099	0.0961	2	ND	Pass
Fenpyroximate	0.0049	0.0961	2	ND	Pass	Thiacloprid *	0.0172	0.0961	0.0172	ND	Pass
Fipronil *	0.0234	0.0961	0.0234	ND	Pass	Thiamethoxam	0.0049	0.0961	4.5	ND	Pass
Flonicamid	0.0086	0.0961	2	ND	Pass	Trifloxystrobin	0.0148	0.0961	30	ND	Pass

Date Tested: 07/06/2021

\* Denotes Category I pesticides, which fail when detected; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



ISO / IEC 17025:2017 ACCREDITED  
LABORATORY  
Accreditation No. 73653



Neyajourbchian  
Laboratory Director  
07/08/2021



Cecilia Melgar  
COA Review  
07/08/2021

## 500 MG

Sample ID: 2107CSALA6157.5258

Matrix: Concentrates &amp; Extracts

Type: Tincture

Sample Size: 1 units

Batch Size:

Batch#: CO511

Produced: N/A

Collected: 07/06/2021

Received: 07/06/2021

Completed: 07/08/2021

Client

Mile High Pawducts dba Naturally Holistic LLC

Lic. #

9615 E County Line Rd Ste B-399

Centennial, Colorado 80112

## Microbials

Testing method: PCR-SOP 401

Pass

Analyte	Result	Status
Salmonella	Not Detected	Pass
Shiga toxin-producing E. Coli	Not Detected	Pass

Date Tested: 07/08/2021

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

## Heavy Metals

Testing method: ICPMS-SOP 502

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0049	0.0492	1.5	<LOQ	Pass
Cadmium	0.003	0.0492	0.5	<LOQ	Pass
Lead	0.0098	0.0492	0.5	<LOQ	Pass
Mercury	0.002	0.0492	3	<LOQ	Pass

Date Tested: 07/07/2021

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED  
 LABORATORY  
 Accreditation No. 73653



 Neya Jourabchian  
 Laboratory Director  
 07/08/2021



 Cecilia Melgar  
 COA Review  
 07/08/2021

## 500 MG

Sample ID: 2107CSALA6157.5258

Matrix: Concentrates &amp; Extracts

Type: Tincture

Sample Size: 1 units

Batch Size:

Batch#: CO511

Produced: N/A

Collected: 07/06/2021

Received: 07/06/2021

Completed: 07/08/2021

Client

Mile High Pawducts dba Naturally Holistic LLC

Lic. #

9615 E County Line Rd Ste B-399

Centennial, Colorado 80112

## Residual Solvents

Testing method: HSGCMS-SOP 202

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloroethane	0.0774	0.9679	1	ND	Pass
Acetone	8.9044	48.3933	5000	ND	Pass
Acetonitrile	16.9183	56.4847	410	ND	Pass
Benzene	0.0774	0.9679	1	ND	Pass
Butane	34.1851	114.0147	5000	ND	Pass
Chloroform	0.1936	0.9679	1	ND	Pass
Ethanol	14.4793	48.3933	5000	<LOQ	Pass
Ethyl acetate	12.3887	48.3933	5000	ND	Pass
Ethylene Oxide	0.271	0.9679	1	ND	Pass
Ethyl ether	15.4859	51.6454	5000	ND	Pass
Heptane	40.7666	135.9659	5000	ND	Pass
Isopropyl alcohol	19.1638	63.9179	5000	ND	Pass
Methanol	144.2122	481.0298	3000	ND	Pass
Methylene chloride	0.1161	0.9679	1	ND	Pass
Hexane	32.9075	109.7174	290	ND	Pass
Pentane	27.1777	90.6698	5000	ND	Pass
Propane	41.0763	137.0112	5000	ND	Pass
Toluene	23.2288	77.4681	890	ND	Pass
Trichloroethylene	0.0774	0.9679	1	ND	Pass
Total xylenes	63.4146	211.4595	2170	ND	Pass

Date Tested: 07/06/2021

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED  
 LABORATORY  
 Accreditation No. 73653



 Neyajourabchian  
 Laboratory Director  
 07/08/2021



 Cecilia Melgar  
 COA Review  
 07/08/2021